






65 Fixed window



Design Options









Product Name	65 Fixed window
Product type	Top-hung window
Glass standard	5+20A+5
Profile thickness	1.8mm
Installation and configuration	Wooden frame, Aluminum sub-frame

65 Top-hung window



Design Options



Product Name

65 Fixed window

Product type

Top-hung window

Glass standard

5+20A+5

Standard hardware

ZEKIN

Size range

W380mm-W1400mm ; H380mm-H1200mm



Profile thickness

1.8mm






Installation and configuration

Wooden frame, Aluminum sub-frame

85 Folding door





Design Options





Product Name	85 Folding door
Product type	Folding door
Glass standard	5+20A+5
Standard hardware	Clayson
Size range	W500mm-W850mm; H550mm-H2800mm
Profile thickness	2.0mm
Installation and configuration	Wooden frame

100 Broken bridge sliding window






Design Options







Product Name	100 Broken bridge sliding window
Product type	Sliding window
Glass standard	5+9A+5、6+9A+6
Standard hardware	ZEKIN
Size range	W550mm-W1400mm; H800mm-H2800mm
Profile thickness	2.0mm
Mesh standard	0.4 Diamond Net
Installation and configuration	Wooden frame, Aluminum sub-frame

100 Broken bridge sliding door



Design Options





Product Name	100 Broken bridge sliding door
Product type	Sliding door
Glass standard	5+9A+5、6+9A+6
Standard hardware	ZEKIN
Size range	W550mm-W1400mm; H800mm-H2800mm
Profile thickness	2.0mm
Mesh standard	0.4 Diamond Net
Installation and configuration	Wooden frame, Aluminum sub-frame

Australian Type 76 non-broken bridge wooden sub-frame hand-cranked top-hung



Design Options





Product Name	Australian Type 76 non-broken bridge wooden sub-frame hand-cranked top-hung
Product type	Hand-cranked top-hung window
Glass standard	5+9A+5
Standard hardware	ZEKIN
Size range	W350mm-W1200mm; H300mm-H1200mm
Profile thickness	1.4mm, Trenchen2.8mm
Mesh standard	High-transparency gauze mesh
Installation and configuration	Wooden frame, Aluminum sub-frame

120 non-broken bridge sliding door







Design Options




Product Name	120 non-broken bridge sliding door
Product type	Sliding door
Glass standard	5+12A+5
Standard hardware	ZEKIN
Size range	W400mm-W1200mm; H400mm-H2400mm
Profile thickness	2.0mm
Mesh standard	0.4 Diamond Net
Installation and configuration	Wooden frame, Aluminum sub-frame

Australian 85 Broken bridge hand-cranked top-hung window



Design Options



Product Name	Australian 85 Broken bridge hand-cranked top-hung window
Product type	Hand-cranked top-hung window
Glass standard	5+9A+5、6+9A+6
Standard hardware	ZEKIN
Size range	W350mm-W1200mm; H300mm-H1200mm
Profile thickness	1.4mm, Trenchen2.8mm
Mesh standard	High-transparency gauze mesh 0.4 diamond mesh
Installation and configuration	Wooden frame, Aluminum sub-frame