

ZEKIN[®]

— DOORS AND WINDOWS —

HIGH-END SYSTEM
DOORS AND WINDOWS

Foshan Desilesi Home Technology Co., Ltd.

CORPORATE PROFILE



LEADING BRAND OF HIGH-END SECURITY DOORS AND WINDOWS

Foshan Desles Home Technology Co., Ltd. is a well-known door and window enterprise specializing in the manufacturing, sales and service of doors and Windows. Founded in 2008, it has 18 years of experience in customizing high-end security doors and Windows and a modern intelligent manufacturing base covering over 300,000 square meters. With its strong brand influence, it has been listed among the top 500 Chinese brands in terms of brand value for three consecutive years and has been recognized as a landmark brand in the Chinese doors and Windows industry. It has won the German IF and German Red Dot Design Awards. High-end security doors and Windows have led the national sales for three consecutive years, and its solid strength has firmly maintained its leading position in China's high-end security doors and Windows industry

Foshan Desles Home Technology Co., Ltd. offers a one-stop, full-category solution covering casement Windows, swing doors, sliding Windows, sliding doors, folding doors, sunrooms, aluminum-wood doors, shower rooms, curtain wall series and all-aluminum system armored doors, etc. It is committed to providing global users with a high-quality home experience in all aspects.

Custom manufacturing process for doors and Windows

1. SECTION EXTRUSION



2. SURFACE TREATMENT



Custom manufacturing process for doors and Windows

3. GLASS PROCESS



Raw glass sheet



Glass cutting production line



Glass tempering process



Glass laminating process

4. PRODUCT ASSEMBLY



CONTENTS



BRAND

- 01 65 Fixed window
WINDOW SERIES
- 02 65 Top-hung window
WINDOW SERIES
- 03 85 Folding door
DOOR SERIES
- 04 100 Thermal Break sliding window
WINDOW SERIES
- 05 100 Thermal Break sliding door
DOOR SERIES
- 06 120non-Thermal Break sliding door
DOOR SERIES
- 07 Australian 76 series
WINDOW SERIES
- 08 Australian 85 series
WINDOW SERIES

65 Fixed window



Design Options








Product Name	65 Fixed window
Product type	Fixed Window
Glass standard	5+20A+5
Profile thickness	1.8mm
Installation and configuration	Wooden frame, Aluminum sub-frame

65 Top-hung window







Design Options




Product Name	65 top-hung window
Product type	Top-hung window
Glass standard	5+20A+5
Standard hardware	ZEKIN
Size range	W380mm-W1400mm ; H380mm-H1200mm
Profile thickness	1.8mm
Installation and configuration	Wooden frame, Aluminum sub-frame

85 Folding door





Design Options







Product Name	85 Folding door
Product type	Folding door
Glass standard	5+20A+5
Standard hardware	Clayson
Size range	W500mm-W850mm; H550mm-H2800mm
Profile thickness	2.0mm
Installation and configuration	Wooden frame

100 Thermal Break sliding window







Design Options





Product Name	100 Thermal Break sliding window
Product type	Sliding window
Glass standard	5+9A+5、6+9A+6
Standard hardware	ZEKIN
Size range	W550mm-W1400mm; H800mm-H2800mm
Profile thickness	2.0mm
Mesh standard	0.4 Diamond Net
Installation and configuration	Wooden frame, Aluminum sub-frame

100 Thermal Break sliding door



Design Options





Product Name	100 Thermal Break sliding door
Product type	Sliding door
Glass standard	5+9A+5、6+9A+6
Standard hardware	ZEKIN
Size range	W550mm-W1400mm; H800mm-H2800mm
Profile thickness	2.0mm
Mesh standard	0.4 Diamond Net
Installation and configuration	Wooden frame, Aluminum sub-frame

Australian Type 76 Non-Thermal Break wooden sub-frame hand-cranked top-hung



Design Options






Product Name	Australian Type 76 non-Thermal Break wooden sub-frame hand-cranked top-hung
Product type	Hand-cranked top-hung window
Glass standard	5+9A+5
Standard hardware	ZEKIN
Size range	W350mm-W1200mm; H300mm-H1200mm
Profile thickness	1.4mm, Strengthen2.8mm
Mesh standard	High-transparency gauze mesh
Installation and configuration	Wooden frame, Aluminum sub-frame

120 non-Thermal Break sliding door






Design Options






Product Name	120 non-Thermal Break sliding door
Product type	Sliding door
Glass standard	5+12A+5
Standard hardware	ZEKIN
Size range	W400mm-W1200mm; H400mm-H2400mm
Profile thickness	2.0mm
Mesh standard	0.4 Diamond Net
Installation and configuration	Wooden frame, Aluminum sub-frame

Australian 85 Thermal Break hand-cranked top-hung window



Design Options



Product Name	Australian 85 Thermal Break hand-cranked top-hung window
Product type	Hand-cranked top-hung window
Glass standard	5+9A+5、6+9A+6
Standard hardware	ZEKIN
Size range	W350mm-W1200mm; H300mm-H1200mm
Profile thickness	1.4mm, Strengthen2.8mm
Mesh standard	High-transparency gauze mesh 0.4 diamond mesh
Installation and configuration	Wooden frame, Aluminum sub-frame

ZEKIN[®]

—— DOORS AND WINDOWS ——

Foshan Desilesi Home Technology Co., Ltd.
<https://www.zekinwindow.com>
Email: sales01@zekindoorwin.com